International
Online Conference



Algebraic and Geometric Methods of Analysis

dedicate to the memory
of Yuriy Trokhymchuk
(17.03.1928-18.12.2019)

May 25-28, 2021
Odesa, Ukraine

НТБ ОНМАКТ

List of topics

- Topological methods in analysis
- Geometric problems of complex and mathematical analysis
- Algebraic methods in geometry
- Differential geometry in the whole
- Geometry and topology of differentiable manifolds
- General and algebraic topology
- Geometric and topological methods in natural sciences

Organizers

- Ministry of Education and Science of Ukraine
- Odesa National Academy of Food Technologies
- Institute of Mathematics of the National Academy of Sciences of Ukraine
- Taras Shevchenko National University of Kyiv
- International Geometry Center
- Kyiv Mathematical Society

Scientific Committee

Drozd Yu.
(*Kyiv, Ukraine*)
Maksymenko S.
(*Kyiv, Ukraine*)
Plaksa S.
(*Kyiv, Ukraine*)
Prishlyak A.
(*Kyiv, Ukraine*)

Bakhtin O.
(*Kyiv, Ukraine*)
Balan V.
(*Bucharest, Romania*)
Banakh T.
(*Lviv, Ukraine*)
Borysenko O.
(*Kharkiv, Ukraine*)

Cherevko Ye.
(*Odesa, Ukraine*)
Fedchenko Yu.
(*Odesa, Ukraine*)
Karlova O.
(*Chernivtsi, Ukraine*)
Kiosak V.
(*Odessa, Ukraine*)
Konovenko N.
(*Odessa, Ukraine*)
Lyubashenko V.
(*Kyiv, Ukraine*)
Matsumoto K.
(*Yamagata, Japan*)
Mormul P.
(*Warsaw, Poland*)

Mykhailyuik V.
(*Chernivtsi, Ukraine*)
Plachta L.
(*Krakov, Poland*)
Pokas S.
(*Odessa, Ukraine*)
Sabitov I.
(*Moscow, Russia*)
Savchenko O.
(*Kherson, Ukraine*)
Sergeeva A.
(*Odesa, Ukraine*)
Shelekhov A.
(*Tver, Russia*)
Zarichnyi M.
(*Lviv, Ukraine*)

НТБ ОНАХТ

Administrative committee

- Egorov B., chairman, rector of the ONAFT;
- Povarova N., deputy chairman, Pro-rector for scientific work of the ONAFT;
- Mardar M., Pro-rector for scientific-pedagogical work and international communications of the ONAFT;
- Fedosov S., Director of the International Cooperation Center of the ONAFT;
- Kotlik S., Director of the P.M. Platonov Educational-scientific institute of computer systems and technologies "Industry 4.0";
- Lishchenko N. Dean of faculty of the computer systems and automation ONAFT

Organizing commitee

Cherevko Ye.
Eftekharinasab K.
Fedchenko Yu.
Feshchenko B.
Khohliyk O.
Klishchuk B.
Konovenko N.
Kravchenko A.
Kuznietsova I.
Maksymenko S.
.
Osadchuk E.
Plakosh A.
Prus A.
Sergeeva A.
Soroka Yu.

НТБ ОНАХТ

The relation between T_0-topologies with the weight $2^{n-2} < k \leq 2^{n-1}$ on n-element set and T_0-topologies close to the discrete on $(n-1)$-element set

Anna Skryabina
(Zaporizhzhya National University, Zaporizhzhia, Ukraine)
E-mail: anna_29_95@ukr.net

Polina Stegantseva
(Zaporizhzhya National University, Zaporizhzhia, Ukraine)
E-mail: stegpol@gmail.com

It is common to speak that the topology on n-element set X has the weight k (or it belongs to k-class), if the topology contains k elements. Let us designate the minimum neighborhood of the element $a \in X$ by M_a. The concept of the vector of the topology (the nondecreasing sequence of the reduced by 1 powers of the minimum neighborhoods of all elements of X) have been introduced in [3]. In the work [3] the theorem on three types of the vectors of T_0-topologies with the weight $2^{n-1} < k \leq 2^n$ (close to the discrete topologies) has been proved:

1. $(0, ..., 0, \alpha_n)$, $1 \leq \alpha_n \leq n-1$;
2. $(\underbrace{0, ..., 0}_{k}, 1, ..., 1)$, $1 \leq k \leq n-2$, and $\bigcap_{m=k+1}^{n} M_m = \{y\}$;
3. $(0, ..., 0, 1, 1)$, $M_{n-1} \bigcap M_n = \varnothing$.

If T_0-topology on n-element set induces close to the discrete T_0-topology on some $(n-1)$-element set, then such topologies are called consistent.

The fact that T_0-topologies with the vectors $(0, ..., 0, \alpha_{n-1}, \alpha_n)$, $1 \leq \alpha_{n-1} \leq n-2$, $2 \leq \alpha_n \leq n-1$ (consistent with the close to discrete topologies of the first type) have weight $2^{n-2} < k \leq 2^{n-1}$ has been shown in [4]. The obtained results connected with the enumeration of T_0-topologies and the calculation of T_0-topologies in the individual classes have been compared with the results [1], [2].

T_0-topologies with the weight $2^{n-2} < k \leq 2^{n-1}$, which are consistent with the close to discrete topologies of the second and the third types have been considered in this paper. The fallowing facts have been proved: these topologies do not form new classes, and such topologies are contained in the same classes as T_0-topologies with vectors $(0, ..., 0, \alpha_{n-1}, \alpha_n)$.

References

[1] Kolli M. *Direct and elementary approach to enumerate topologies on a finite set.* // Journal of Integer Sequences. – 2007.– Vol. 10. Article 07.3.1.

[2] Kolli M. *On the Cardinality of the T_0-Topologies on a Finite Set.*// International Journal of Combinatorics.– 2014.– Article ID 798074, 7 pages.

[3] Величко И. Г., Стеганцева П. Г., Башова Н. П. *Перечисление топологий близких к дискретной на конечных множествах.* // Известия вузов. Математика.– 2015.– **11**.– С. 23–31.

[4] Стеганцева П.Г., Скрябіна А.В. *Топології на n-елементній множині, узгоджені з топологіями близькими до дискретних на $(n-1)$-елементній множині.* // Український математичний журнал. – 2021. – Т. 73, **2**. С.238 -248.

Y. Chapovskyi, D. Efimov, A. Petravchuk *Centralizers of elements in Lie algebras of vector fields* **113**

E. Petrov, R. Salimov *Properties of quasisymmetric mappings to preserve the structures of spaces* **114**

D. R. Popovych *IW contractions and their generalizations* **116**

Prabhjot Singh *Weak Separation Condition coincides Finite Type Condition* **118**

Pratyush Pranav *Topological data analysis for cosmology: theory and applications* **120**

A. Prishlyak, Ch. Hatamian *Morse flows with singularities on boundary of 3-manifolds* **121**

V. Prokip *On the matrix equation $AX - YB = C$ over Bezout domains* **122**

A. Prykarpatsky, I. Mykytyuk *On the metric equations generated by symplectic deformations on $P_2(C)$* **124**

O. Reinov *On a result of G. Pisier concerning Sidon sets* **126**

A. K. Sadullaev, F. G. Mukhamadiev *On the τ-placedness of space of the permutation degree* **127**

T. N Safarov *The analogue of Darboux equation in Galilean space* **128**

V. M. Safonov, I. V. Zamrii, O. V. Safonova *On countable multiplicity of mappings* **129**

A. Savchenko *Fuzzy ultrametrization of spaces of non-additive measures on fuzzy ultrametric spaces* **130**

O. Sazonova *About one class of continual approximate solutions with arbitrary density* **131**

J. Segert *Painlevé VI Solutions From Equivariant ADHM Instanton Bundles* **133**

A. Serdyuk, I. Sokolenko *Asymptotic estimates for the widths of classes of periodic functions of high smothness* **135**

H. Sinyukova *Some generalizations of the known theorems of the type of geodesical unique definability* **138**

S. Som, A. Bera, L. K. Dey *Some remarks on the Metrizability of F-metric spaces* **139**

P. Stegantseva, M. Grechneva *The surfaces with the flat normal connection and the constant curvature of Grassmann image in Minkowski space* **140**

A. Skryabina, P. Stegantseva *The relation between T_0-topologies with the weight $2^{n-2} < k \leq 2^{n-1}$ on n-element set and T_0-topologies close to the discrete on $(n-1)$-element set* **142**

Ya. B. Stelmakh *The Golomb and Kirch topologies on the set of nonzero integers* **143**

D. Dmitrishin, A. Stokolos *On symmetrization of univalent polynomials* **144**